



GE
Lighting



A+

energy class

73

lumens/watt

GE Energy Smart™ GU10 Dimmable

LED ESmart GU10 50-5.5WDim 830 35°

93068475

Product information

This new dimmable range of highly competitive LED GU10 products consume only 5.5W and 3.5W respectively and offer Halogen GU10 lamps with a halogen look-a-like single chip design.

Application areas



Retail



Office



Hospitality



Home



Product data

| | |
|------------------------------------|-----------------------|
| Product Code | 93068475 |
| Bulb Shape | PAR |
| Bulb maximum overall diameter [mm] | 50 |
| Nominal Length [mm] | 54 |
| Net weight per piece [g] | 46 |
| RoHS compliant | Yes |
| Brand | General Electric (GE) |
| Cap/Base | GU10 |

Performance data

| | |
|---|-------|
| Nominal/ Rated Beam Angle [°] | 35 |
| Nominal center beam candlepower (CBCP) [cd] | 700 |
| Useful lumens (at 90° cone) [lm] | 380 |
| Rated efficacy [lm/W] | 69 |
| Energy efficiency class (EEC) | A+ |
| Rated life L70/B50 [h] | 25000 |
| Nominal correlated colour temperature (CCT) [K] | 3000 |
| Nominal lumens [lm] | 400 |
| Colour Rendering Index (CRI) [Ra] | 80 |

Electrical data

| | |
|--------------------------------|---------|
| Nominal lamp power factor... | >0.7 |
| Number of switching cycles | 100000 |
| Dimming Capability | Yes |
| Nominal lamp voltage range [V] | 220-240 |
| Nominal power [W] | 5.5 |
| Nominal lamp voltage [V] | 230 |

Logistic data

| | |
|----------------|----------------|
| DUN Code | 10064894580311 |
| EAN Code | 0064894580314 |
| Pack Quantity | 8 |
| Product status | Available |

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Product datasheet \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Dimming compatibility \(HTTP\)](#)

[LED Lighting Solutions - Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[GU10 range Datasheets \(HTTP\)](#)

[GE Energy Smart™ GU10 Dimmable range images \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)