



GE
Lighting

A++
energy class

120
lumens/watt

GE LED Edgelit Panel

EPY22-3040-7SR-21L

93054168



Product information

GE Lumination™ LED Luminaires transform ambient lighting into an exquisite balance of refine appearance and superior efficiency. When illuminated, the panels deliver exceptional uniform light to the space and while off they appear completely free of a visible light source.

Application areas

- Education
- Healthcare
- Office
- Retail

GE Lighting 93054168
EPY22-3040-7SR-21L

This luminaire contains built-in LED lamps.

A++
LED

The LED lamps cannot be changed in the luminaire

874/2012

Product data

Mounting type	Recessed
Dimensions	595*595*10mm
Limited Warranty	5 years (20 000 hours)
Energy efficiency class (EEC)	A++
IP Rating	40
Certifications	CE
Weight [kg]	3,3
DIALux description	GE - GE LED Edgelit Panel - 3600lm - 30W - 4000K - 80CRI - 93054168[SKU] - Recessed
Body colour	White

Performance data

Rated life L70/B50 [h]	50000
Operating Voltage	220-240V
Ambient Temperature [°C]	-10 to +40
Rated efficacy [lm/W]	120
Current [A]	700mA
Total system power	30
Nominal lumens [lm]	3600
Rated lumens [lm]	3600
Rated power [W]	30.0
Nominal correlated colour temperature (CCT) [K]	4000
Colour rendering index (CRI) [Ra]	80
UGR value	21

Optical data

Nominal beam angle [°]	Wide (110)
------------------------	------------


Electrical data

Nominal lamp power factor	0,9
Class	Class II
Controllability	Not dimmable electronic (Static)


Logistic data

Product status	Available
Pack quantity	1

Photometric Data



Technical drawing



Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Product datasheet \(PDF\)](#)

[Edgelit Range Data sheets \(HTTP\)](#)

[Installation guide \(PDF\)](#)

[Images \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)