

## ENALI

Wall & ceiling lighting fitting



<b>[V]</b> 220-240 AC	<b>[Hz]</b> 50/60	JDR	GU10		<b>IP</b> 20	
<b>5÷25</b>		<b>310</b>	<b>90</b>		<b>1-2,5</b>	<b>0,5m</b>



<b>28760</b>	ENALI EL-10 W	max 35	white
<b>28761</b>	ENALI EL-10 B	max 35	black
<b>28762</b>	ENALI EL-2I W	2 x max 35	white
<b>28763</b>	ENALI EL-2I B	2 x max 35	black
<b>28764</b>	ENALI EL-3O W	3 x max 35	white
<b>28765</b>	ENALI EL-3O B	3 x max 35	black
<b>28766</b>	ENALI EL-3I W	3 x max 35	white
<b>28767</b>	ENALI EL-3I B	3 x max 35	black
<b>28768</b>	ENALI EL-4I W	4 x max 35	white
<b>28769</b>	ENALI EL-4I B	4 x max 35	black



- Enclosure material: steel
- Lampshade material: steel

### Wall & ceiling lighting fitting




ENALI EL-10 W



ENALI EL-10 B



ENALI EL-21 W



ENALI EL-21 B




ENALI EL-30 W




ENALI EL-30 B



ENALI EL-31 W



ENALI EL-31 B




## ENALI


### Wall & ceiling lighting fitting

ENALI EL-4I W


ENALI EL-4I B




ENALI EL-10




ENALI EL-21



ENALI EL-30



ENALI EL-31



ENALI EL-4I